

Classes of Problems

- Polynomial Time Verification
- The Classes P and NP
- The Classes EXP and CONP
- NP-HARD and NP-COMPLETE Problems
- Proving NP-HARDNESS
- A first NP-COMPLETE Problem

IMDAD ULLAH KHAN

NP-HARD and NP-COMPLETE

A problem X is **NP-HARD**, if every problem in NP is polynomial time reducible to X

$$\forall Y \in \text{NP}, \quad Y \leq_p X$$

A problem $X \in \text{NP}$ is **NP-COMPLETE**, if every problem in NP is polynomial time reducible to X

$$X \in \text{NP} \quad \text{AND} \quad \forall Y \in \text{NP}, \quad Y \leq_p X$$

NP-HARD and NP-COMPLETE

A problem $X \in \text{NP}$ is **NP-COMPLETE**, if every problem in NP is polynomial time reducible to X

$$X \in \text{NP} \quad \text{AND} \quad \forall Y \in \text{NP}, \quad Y \leq_p X$$

These problems are at least as hard as any problem in NP

Let **NPC** be the (sub)class of NP-COMPLETE problems

▷ It is the set of hardest problems in NP


If any NP-complete problem can be solved in poly time, then all problems in NP can be, and thus $P = \text{NP}$

NP-COMPLETE Problems

A problem X is **NP-Complete**, if

- 1 $X \in \text{NP}$
- 2 $\forall Y \in \text{NP } Y \leq_p X$

$$P \subseteq \text{NP} \quad \text{NPC} \subseteq \text{NP}$$



- Take any $X \in \text{NP}$ and prove that it cannot be solved in poly time
 - You proved $P \neq \text{NP}$ **Why?**
 - By definition of \subset
- Take any $X \in \text{NPC}$ and solve it in poly time
 - You proved $P = \text{NP}$ **Why?**
 - By definition of \leq_p

NP-COMPLETE Problems

A problem X is NP-COMPLETE, if

- 1 $X \in \text{NP}$
- 2 $\forall Y \in \text{NP } Y \leq_p X$

No polynomial time algorithm for any NP-COMPLETE problem yet

- ▷ People did and do try, as many practical problems are in NPC

No impossibility proof of poly-time solution for a NP-COMPLETE problem

- ▷ People did and do try, will prove the widely held belief that $P \neq \text{NP}$

Let X be any NP-COMPLETE problem.

X is polynomial time solvable if and only if $P = \text{NP}$

NP-COMPLETE Problems

A problem X is **NP-COMPLETE**, if

- 1 $X \in \text{NP}$
- 2 $\forall Y \in \text{NP } Y \leq_p X$

Why should you prove a problem to be NP-COMPLETE?

- Good evidence that it is hard
- Unless your interest is proving $P = \text{NP}$ stop trying finding efficient algorithm
 - ▷ Instead focus on special cases, heuristic, approximation algorithm


What to tell your boss if you fail to find a fast algorithm for a problem?

- 1 I am too dumb! ▷ You are fired
- 2 There is no fast algorithm! *You claim that $P \neq \text{NP}$* ▷ Need a proof
- 3 I cannot solve it, but neither can anyone in the world! ▷ Need reduction

NP-COMPLETE Problems

Dealing with Hard Problems


- What to do when we find a problem that looks hard...



source: slideplayer.com via Google images


Dealing with Hard Problems

- Sometimes we can prove a strong lower bound... (but not usually)



Dealing with Hard Problems

- NP-completeness let's us show collectively that a problem is hard.



NP-COMPLETE Problems

A problem X is **NP-COMPLETE**, if

- 1 $X \in \text{NP}$
- 2 $\forall Y \in \text{NP } Y \leq_p X$

NP-COMPLETE problems capture the essential difficulty of all NP problems
Could there be any NP-COMPLETE problem at all?

- Not very hard to imagine (an almost formal proof later)
- Let A be a polynomial time algorithm working on bit-strings that outputs **Yes/No** based on some unknown but consistent logic
- H is the problem: “Is there any polynomial sized bit-string on which A outputs **Yes**?” Clearly $H \in \text{NP}$?
- Any problem $Y \in \text{NP}$ is reducible to H
- $Y \in \text{NP}$ means there is a poly-sized certificate that can be verified. An instance \mathcal{I} of Y can be transformed to an instance of H with same answer

How to prove NP-COMPLETENESS

A problem X is NP-COMplete, if

- 1 $X \in \text{NP}$
- 2 $\forall Y \in \text{NP } Y \leq_p X$

How to prove a problem NP-COMplete ?

- Proving NP is relatively easy (in many cases)
- Can we do so many reductions?