

Polynomial Time Reduction

- Polynomial Time Reduction Definition
- Reduction by Equivalence
- Reduction from Special Cases to General Case
- Reduction by Encoding with Gadgets
- Transitivity of Reductions
- Decision, Search and Optimization Problem
- Self-Reducibility


IMDAD ULLAH KHAN

Polynomial Time Reduction

Problem A is polynomial time reducible to Problem B , $A \leq_p B$

If any instance of problem A can be solved using a polynomial amount of computation plus a polynomial number of calls to a solution of problem B

If any algorithm for problem B can be used [called (once or more) with 'clever' legal inputs] to solve any instance of problem A



Algorithm for A transforms an instance x of A to an instance y of B . Then transforms $B(y)$ to $A(x)$



Reduction by (Complementary) Equivalence

Theorem

G has an independent set of size k iff \overline{G} has a clique of size k

Recall that for $G = (V, E)$ its complement is the graph

$\overline{G} = (V, \overline{E})$, where $\overline{E} = \{(u, v) : (u, v) \notin E\}$




Reduction by (Complementary) Equivalence

Theorem


G has an independent set of size k iff \overline{G} has a clique of size k

Recall that for $G = (V, E)$ its complement is the graph

$\overline{G} = (V, \overline{E})$, where $\overline{E} = \{(u, v) : (u, v) \notin E\}$



An independent set of size 3



The same 3 vertices make a clique in \overline{G}

Reduction by (Complementary) Equivalence

Problem A is polynomial time reducible to Problem B , $A \leq_p B$

If any instance of problem A can be solved using a polynomial amount of computation plus a polynomial number of calls to a solution of problem B


$$\text{CLIQUE}(G, k) \leq_p \text{IND-SET}(G, k)$$

Let \mathcal{A} be an algorithm solving $\text{IND-SET}(G, k)$ for any G and $k \in \mathbb{Z}$

Let $[G, k]$ be an instance of the CLIQUE problem

- 1 Compute the complement \overline{G} of G
- 2 Call \mathcal{A} on $[\overline{G}, k]$
- 3 If it outputs **Yes**, output **Yes** for the problem $\text{CLIQUE}(G, k)$
- 4 Else output **No**

▷ Polytime



Algorithm \mathcal{B} solves $\text{CLIQUE}(G, k)$ problem using the algorithm \mathcal{A} for $\text{IND-SET}(G, k)$ problem

Why Study both CLIQUE or INDEPENDENT-SET

Theorem


G has an independent set of size k iff \overline{G} has a clique of size k

Given this complementary equivalence should we study both problems?

- Both are “hard” problems
- In practice an approximation algorithm is used for real world graphs
- Most real world graphs are very sparse
- Hence, their complements are very dense
- So applying the same algorithm on the complement will not be as efficient

Reduction by (Complementary) Equivalence

Theorem: $S \subset V$ is independent set in G iff $V \setminus S$ is a vertex cover in G



- 1 If S is an independent set, then $\bar{S} = V \setminus S$ is a vertex cover
 - For any edge (u, v) , either $u \notin S$ or $v \notin S \implies$ either $u \in \bar{S}$ or $v \in \bar{S}$
 - Hence \bar{S} is a vertex cover
- 2 If C is a vertex cover, then $\bar{C} = V \setminus C$ is an independent set
 - For any edge (u, v) it cannot be that $u \notin C$ AND $v \notin C$
 - It cannot be that $u \in \bar{C}$ and $v \in \bar{C}$
 - Hence \bar{C} is an independent set

Reduction by (Complementary) Equivalence


$$\text{IND-SET}(G, k) \leq_p \text{VERTEX-COVER}(G, k')$$

Let \mathcal{A} be an algorithm solving $\text{VERTEX-COVER}(G, k)$ for any G and $k \in \mathbb{Z}$

Let $[G, t]$ be an instance of the IND-SET problem

- 1 Call \mathcal{A} on $[G, n - t]$
- 2 If it outputs **Yes**, output **Yes** for $\text{IND-SET}(G, t)$
- 3 Else output **No**

\mathcal{B} takes an instance $[G, k]$ of INDEPENDENT-SET returns **YES** if G has an indep.set of size k else returns **NO**



Algorithm \mathcal{B} solves $\text{INDEPENDENT-SET}(G, k)$ problem using the algorithm \mathcal{A} for VERTEX-COVER problem